## **SAFETY DATA SHEET**

AlixPods Glass Cleaner Concentrated

GHS product identifier	: AlixPods Glass & Hard Surface Cleaner Concentrated	
Product code	: AL-GL-01L-00-00	
Other means of identification	: Not available.	
Product type	: Liquid.	
Relevant identified uses of	f the substance or mixture and uses advised against	
Identified uses		
Not applicable.		
Uses advised against Not applicable.		
Supplier's details	: TakiDistribution 621 Chemin de la Cote- Sainte-Catherine Outremont, Quebec H2V 2C4, Canada 1-514-447-9030	
Emergency telephone number (with hours of operation)	: 1-800-535-5053 (Infotrac)	
Section 2. Hazar	ds identification	
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). The hazard classification and label elements reflect the intrinsic properties of the concentrated product as supplied, which is sealed in a water soluble sachet. The following precautionary statements are applicable under conditions of the exposure to the large quantities of product (spills over 5 gallons), or handling damaged sachets (full skid). Handling undamaged pouches of product according to instructions does not present any exposure to concentrate, no PPE is required (applicable to Sections 5, 6 and 11 of the current SDS)	
	(29 CFR 1910.1200). The hazard classification and label elements reflect the intrinsic properties of the concentrated product as supplied, which is sealed in a water soluble sachet. The following precautionary statements are applicable under conditions of the exposure to the large quantities of product (spills over 5 gallons), or handling damaged sachets (full skid). Handling undamaged pouches of product according to instructions does not present any exposure to concentrate, no PPE is required (applicable to Sections 5, 6)	
OSHA/HCS status Classification of the	<ul> <li>(29 CFR 1910.1200). The hazard classification and label elements reflect the intrinsic properties of the concentrated product as supplied, which is sealed in a water soluble sachet. The following precautionary statements are applicable under conditions of the exposure to the large quantities of product (spills over 5 gallons), or handling damaged sachets (full skid). Handling undamaged pouches of product according to instructions does not present any exposure to concentrate, no PPE is required (applicable to Sections 5, 6 and 11 of the current SDS)</li> <li>FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1</li> </ul>	
OSHA/HCS status Classification of the	<ul> <li>(29 CFR 1910.1200). The hazard classification and label elements reflect the intrinsic properties of the concentrated product as supplied, which is sealed in a water soluble sachet. The following precautionary statements are applicable under conditions of the exposure to the large quantities of product (spills over 5 gallons), or handling damaged sachets (full skid). Handling undamaged pouches of product according to instructions does not present any exposure to concentrate, no PPE is required (applicable to Sections 5, 6 and 11 of the current SDS)</li> <li>FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1</li> </ul>	
OSHA/HCS status Classification of the substance or mixture	<ul> <li>(29 CFR 1910.1200). The hazard classification and label elements reflect the intrinsic properties of the concentrated product as supplied, which is sealed in a water soluble sachet. The following precautionary statements are applicable under conditions of the exposure to the large quantities of product (spills over 5 gallons), or handling damaged sachets (full skid). Handling undamaged pouches of product according to instructions does not present any exposure to concentrate, no PPE is required (applicable to Sections 5, 6 and 11 of the current SDS)</li> <li>FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2</li> </ul>	
OSHA/HCS status Classification of the substance or mixture	<ul> <li>(29 CFR 1910.1200). The hazard classification and label elements reflect the intrinsic properties of the concentrated product as supplied, which is sealed in a water soluble sachet. The following precautionary statements are applicable under conditions of the exposure to the large quantities of product (spills over 5 gallons), or handling damaged sachets (full skid). Handling undamaged pouches of product according to instructions does not present any exposure to concentrate, no PPE is required (applicable to Sections 5, 6 and 11 of the current SDS)</li> <li>FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1</li> </ul>	
OSHA/HCS status Classification of the substance or mixture <u>GHS label elements</u> Hazard pictograms	<ul> <li>(29 CFR 1910.1200). The hazard classification and label elements reflect the intrinsic properties of the concentrated product as supplied, which is sealed in a water soluble sachet. The following precautionary statements are applicable under conditions of the exposure to the large quantities of product (spills over 5 gallons), or handling damaged sachets (full skid). Handling undamaged pouches of product according to instructions does not present any exposure to concentrate, no PPE is required (applicable to Sections 5, 6 and 11 of the current SDS)</li> <li>FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity: 2%</li> </ul>	

#### \_\_\_\_\_

Date of issue/Date of revision	: 9/6/2023	Date of previous issue	:9/6/2023	Version : 1

1/13

### Section 2. Hazards identification

Prevention	: Wear protective gloves, protective clothing and eye or face protection. Keep away from flames and hot surfaces. No smoking. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.
Response	: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	: Store in a well-ventilated place. Keep cool.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	: None known.

### Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

Ingredient name	%	CAS number
Ethoxylated Fatty Alcohols	Proprietary	-
Diol	Proprietary	-
Alcohol	Proprietary	-

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

Description of necessary firs	st aid measures
Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in

2/13

### Section 4. First aid measures

recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/e	ffects, acute and delayed	
Potential acute health effect	<u>zts</u>	
Eye contact	Causes serious eye damage.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: Causes skin irritation.	
Ingestion	: Harmful if swallowed.	
<u>Over-exposure signs/symp</u>	<u>toms</u>	
Eye contact	: Adverse symptoms may include the following: pain watering redness	
Inhalation	: No specific data.	
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur	
Ingestion	: Adverse symptoms may include the following: stomach pains	
Indication of immediate med	lical attention and special treatment needed, if necessary	
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>	
Specific treatments	: No specific treatment.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.	

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of issue/Date of revision	: 9/6/2023	Date of previous issue	:9/6/2023	Version : 1
--------------------------------	------------	------------------------	-----------	-------------

3/13

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.		
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
Methods and materials for co	ontainment and cleaning up		
Small spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.		

### Section 7. Handling and storage

Precautions for safe handling	l	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Protect pods from freezing and overheating, avoid high humidity and outdoor storage. Store at temperatures from 50 to 80 F and relative humidity 50-60%. Separate from oxidizing materials. Eliminate all ignition sources. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Ethoxylated Fatty Alcohols Diol	None. OSHA PEL 1989 (United States, 3/1989). CEIL: 25 ppm CEIL: 125 mg/m <sup>3</sup> NIOSH REL (United States, 10/2016). CEIL: 25 ppm CEIL: 125 mg/m <sup>3</sup> ACGIH TLV (United States, 3/2019). STEL: 10 mg/m <sup>3</sup> 15 minutes. Form: Inhalable fraction. Aerosol only. STEL: 50 ppm 15 minutes. Form: Vapor fraction
Alcohol	TWA: 25 ppm 8 hours. Form: Vapor fraction ACGIH TLV (United States, 3/2020). TWA: 200 ppm 8 hours. STEL: 400 ppm 15 minutes. OSHA PEL 1989 (United States, 3/1989). TWA: 400 ppm 8 hours. TWA: 980 mg/m <sup>3</sup> 8 hours. STEL: 500 ppm 15 minutes. STEL: 1225 mg/m <sup>3</sup> 15 minutes. NIOSH REL (United States, 10/2016). TWA: 400 ppm 10 hours. TWA: 980 mg/m <sup>3</sup> 10 hours. STEL: 500 ppm 15 minutes. STEL: 500 ppm 15 minutes. STEL: 1225 mg/m <sup>3</sup> 15 minutes. STEL: 1225 mg/m <sup>3</sup> 15 minutes. TWA: 980 mg/m <sup>3</sup> 15 minutes. TWA: 400 ppm 8 hours. TWA: 400 ppm 8 hours. TWA: 980 mg/m <sup>3</sup> 8 hours.

#### **Biological exposure indices**

No exposure indices known.

Appropriate engineering controls	other eng recomme vapor or	with adequate ventilation. jineering controls to keep ended or statutory limits. T dust concentrations below n equipment.	worker exposure to he engineering con	airborne contami trols also need to	nants below any o keep gas,		
Environmental exposure controls	they com cases, fu	: Emissions from ventilation or work process equipment should be checked to er they comply with the requirements of environmental protection legislation. In so cases, fume scrubbers, filters or engineering modifications to the process equip will be necessary to reduce emissions to acceptable levels.					
Individual protection meas	sures						
Hygiene measures	eating, sı Appropria Wash co	nds, forearms and face the moking and using the lava ate techniques should be u ntaminated clothing before are close to the workstatio	tory and at the end o used to remove pote e reusing. Ensure th	of the working pe ntially contamina	riod. Ited clothing.		
Eye/face protection	assessm gases or the asses	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.					
Skin protection							
Date of issue/Date of revision	: 9/6/2023	Date of previous issue	: 9/6/2023	Version	:1 5/	'13	

### Section 8. Exposure controls/personal protection

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>				
Physical state	1	Liquid.		
Color	: Blue. [Dark]			
Odor	1	Lavender Mint [Slight]		
Odor threshold	1	Not available.		
рН	1	7 to 8.5 at RTU dilution		
Melting point/freezing point	1	Not available.		
Boiling point, initial boiling	1	Not available.		
point, and boiling range				
Flash point	1	Closed cup: 69°C (156.2°F) [Pensky-Martens]		
Flammability	1	Not available.		
Lower and upper explosion limit/flammability limit	1	Not available.		
Vapor pressure		Not available.		
Relative vapor density		Not available.		
Relative density		0.972		
Density		0.972 g/cm³ [23°C (73.4°F)]		
Solubility(ies)				
Media		Result		

cold water hot water		Easily soluble Easily soluble
Solubility in water	: Not	available.
Miscible with water	: Yes	8.
Partition coefficient: n- octanol/water	: Not	applicable.
Auto-ignition temperat	ure : Not	available.
Decomposition temper	ature : Not	available.
Viscosity	: Not	available.
Particle characteristics		
Median particle size	: Not	applicable.

### Section 10. Stability and reactivity

products	not be produced.
Hazardous decomposition	: Under normal conditions of storage and use, hazardous decomposition products should
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Chemical stability	: The product is stable.
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.

### Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Ethoxylated Fatty Alcohols Diol Alcohol	LD50 Oral LD50 Oral LD50 Dermal LD50 Oral	Rat Rabbit	1378 mg/kg 3700 mg/kg 12800 mg/kg 5000 mg/kg	- - - -

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Diol	Skin - Mild irritant	Rabbit	-	465 mg	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
				mg	
Alcohol	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
				mg	
	Eyes - Severe irritant	Rabbit	-	100 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-

#### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Product/ingredient name	• •	Route of exposure	Target organs
Alcohol	Category 3	-	Narcotic effects

#### Specific target organ toxicity (repeated exposure)

### Section 11. Toxicological information

#### Not available.

#### **Aspiration hazard**

Not available.

Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	Causes serious eye damage.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	Causes skin irritation.
Ingestion	:	Harmful if swallowed.
Symptoms related to the phy	sic	al, chemical and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: pain watering redness
Inhalation	4	No specific data.
Skin contact	:	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	:	Adverse symptoms may include the following: stomach pains
Delayed and immediate effec	ts	and also chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
<u>Long term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	<u>s</u>
Not available.		
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
AlixPods Glass & Hard Surface Cleaner	1849.4	N/A	N/A	N/A	N/A
Conc Ethoxylated Fatty Alcohols	1378	N/A	N/A	N/A	N/A
Diol	3700	N/A	N/A	N/A	N/A
Alcohol	5000	12800	N/A	N/A	N/A

### Section 11. Toxicological information

### Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Ethoxylated Fatty Alcohols	Acute EC50 5.36 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 2686 µg/l Fresh water	Daphnia - <i>Daphnia magna</i> - Neonate	48 hours
	Acute LC50 8500 µg/l Fresh water	Fish - Pimephales promelas	96 hours
Diol	Acute EC50 2800000 µg/l Fresh water	Crustaceans - Ceriodaphnia reticulata - Larvae	48 hours
	Acute EC50 3200000 µg/l Fresh water	Daphnia - <i>Daphnia magna</i> - Larvae	48 hours
	Acute LC50 8000000 µg/l Marine water	Fish - Alburnus alburnus	96 hours
Alcohol	Acute EC50 7550 mg/l Fresh water	Daphnia - <i>Daphnia magna</i> - Neonate	48 hours
	Acute LC50 1400000 μg/l Marine water Acute LC50 4200 mg/l Fresh water	Crustaceans - Crangon crangon Fish - Rasbora heteromorpha	48 hours 96 hours

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Diol	0.58	-	Low
Alcohol	0.05	-	Low

#### Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact
	cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

### Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a) PAIR: cinnamaldehyde
	TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed

#### SARA 302/304

#### **Composition/information on ingredients**

				SARA 302 TPQ		SARA 304 RQ	
Name		%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
ethylene oxide		<0.1	Yes.	1000	-	10	-
SARA 304 RQ SARA 311/312	: 27397260	).3 lbs / 12438356	6.2 kg [33	380520.6 g	gal / 12796662.	7 L]	
Classification	ACUTE TO SKIN IRRI	LE LIQUIDS - Ca XICITY (oral) - C TATION - Catego EYE DAMAGE - (	ategory ry 2				
Composition/informa	ition on ingredient	<u>:S</u>					

### Section 15. Regulatory information

Name	%	Classification
Ethoxylated Fatty Alcohols		ACUTE TOXICITY (oral) - Category 4 SERIOUS EYE DAMAGE - Category 1
Diol		SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A
Alcohol		FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3
Fragrance	Proprietary	FLAMMABLE LIQUIDS - Category 4

#### State regulations

Massachusetts	:	The following components are listed: Diol; Alcohol
New York	1	None of the components are listed.
New Jersey	1	The following components are listed: Diol; Alcohol
Pennsylvania	:	The following components are listed: Diol; Alcohol; PROPANOL, OXYBIS-

#### California Prop. 65

▲ WARNING: This product can expose you to chemicals including Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. This product can expose you to chemicals including 1,4-Dioxane, which is known to the State of California to cause cancer. For more information go to www. P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
1,4-Dioxane	Yes.	-
Ethylene oxide	Yes.	Yes.
	1	

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### Inventory list

Australia	: Not determined.
Canada	: All components are listed or exempted.
China	: Not determined.
Eurasian Economic Union	: Russian Federation inventory: Not determined.
Japan	: Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: Not determined.

### Section 15. Regulatory information

Turkey United States

- Viet Nam
- : Not determined.
- : Not determined.
- Nam
- : Not determined.

### Section 16. Other information

#### Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

#### National Fire Protection Association (U.S.A.)



#### Procedure used to derive the classification

	Classification	Justification
FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1		On basis of test data Calculation method Calculation method Calculation method
<u>History</u>		· · · ·
Date of printing	: 9/6/2023	
Date of issue/Date of revision	: 9/6/2023	
Date of previous issue	: 9/6/2023	
Version	: 1	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classificat IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition MARPOL = International Convention for the Preve as modified by the Protocol of 1978. ("Marpol" = n N/A = Not available SGG = Segregation Group UN = United Nations	coefficient ention of Pollution From Ships, 1973
References	: Not available.	

✓ Indicates information that has changed from previously issued version. <u>Notice to reader</u>

### Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.